

DARGUES REEF CONTINUES TO DELIVER

- High grade results from shallow RC drilling and deep diamond drilling, including:
 - o 19m @ 9.13g/t gold and 8.34g/t silver
 - Deepest intercept to date shows substantial thickening of mineralised lode.
 - Further visible gold observed, results pending
- Exploration drilling continues

Cortona Resources Limited (ASX:CRC) continues to receive excellent results from the drilling program at its 100% owned Dargues Reef project in NSW. A broad high grade intercept (19m @ 9.13g/t gold) from a shallow part of the Main Lode should add to the current resource of 1.44Mt @ 6.20g/t gold.

In addition, the deep diamond drilling has intersected a 30m wide zone of lode which has returned virtually continuous mineralisation. This includes results of 10m @ 3.3g/t and 19m @ 2.03g/t Au including several higher grade zones. The entire zone is above the resource cutoff grade (2.0g/t) and should add to the overall resource.

The intercept is at the base of the current resource outline, and indicates a thickening of the Main Lode at depth. This is particularly significant in light of the deep exploration hole that is currently being drilled to intercept the lode approximately 125m below.

Another hole (DREX225) has intercepted visible gold in one of the parallel lodes north of Main Lode. The presence of visible gold is a good indication of high grade mineralisation. Results are pending.

The Dargues Reef feasibility studies are continuing as planned, and two deep exploration holes are underway.

-ENDS-



COMPANY DETAILS

Principal and Registered Office Cortona Resources Limited Ground Floor, 22 Oxford Close West Leederville. WA 6007

Postal Address PO Box 86, West Perth WA 6872

Website

www.cortonaresources.com.au

Email

admin@cortonaresources.com.au

Phone

(08) 6380 1093

Facsimile

(08) 6380 1387

ABN: 98 117 848 790

ASX CODE: CRC, CRCO

Corporate Information

(1st May 2010)

Shareholders ~1,800 Shares on Issue 170M Options (CRCO) 35M Options (Unlisted) 11M

PROJECTS

Majors Creek (NSW) Eugowra (NSW) North Monger (WA)

JORC Resources 366,300oz





For further information please contact:

Cortona Resources Limited

Peter van der Borgh (Managing Director) on +618 6380 1093

Email: admin@cortonaresources.com.au

Media

Nicholas Read (Read Corporate) on +618 9388 1474 or +61 419 929 046

Email: nicholas@readcorporate.com.au

ABOUT CORTONA

Cortona is an emerging Australian gold company with a portfolio of advanced gold projects in New South Wales and Western Australia. The Company is focused on the exploration and development its 100%-owned Majors Creek Project, located 60km east of Canberra in New South Wales, where it is currently undertaking a Definitive Feasibility Study (DFS) on the Dargues Reef Gold deposit (1.44Mt @ 6.2g/t gold for 286,000oz).

Majors Creek was the largest historic alluvial goldfield in NSW producing more than 1.25 million ounces. The Dargues Reef deposit is expected to be the Company's first operating mine following positive scoping study results indicating average annual production of 45,000 ounces over an initial mine life of 5 years.


Cortona's multi-pronged plan is to progress the Dargues Reef DFS in conjunction with aggressive near- mine and regional exploration programs to underpin a long-term gold business.



Table 1: Significant intercepts during 2010

Hole ID	GDAE	GDAN	Dip	Azi	From	Interval	Gold (g/t)
N. D. II					(m)	(m)	
New Results	7.10075	0000010		0.10	0.0	4.0	
DREX206	748975	6062910	-52	010	99	19	9.13
DREX227	749067	6062763	-60	360	533.9	10	3.28
and					545.6	19.4	2.03
and					566	2	7.15
	<u> </u>						
Previous 2010 Re							
DREX223	749000	6062816	.55	358	235	13.0	8.60
And					259	2.5	3.77
And					266	1.0	10.80
DREX225W1	749034	6062783	-60	359	322	6.7	3.08
And					409.2	1.5	22.30
And					424.5	18.5	4.88
And					459.6	8.4	4.46
And					477	13.2	10.88
DREX226	748999	6062815	-64.5	357	307.8	5.45	14.35
And					316.3	1.45	7.31
And					370.3	2.8	39.08
And					395.25	0.6	36.50
And					454	5.7	97.10
DREX182	749015	6062958	-58	019	47	17	6.27
Including					59	4	15.14
DREX190	748946	6062913	-52	012	85	4	3.96
and					126	2	2.74
and					132	5	3.38
DREX193	748973	6062876	-62	003	158	22	5.74
Including					168	10	8.70
DREX185	749037	6062949	-60	015	74	4	1.93
and					82	5	15.56
DREX186	749035	6062948	-72	008	102	4	2.18
and					108	5	2.52
DREX187	749083	6062945	-62	339	74	3	3.53
DREX188	749086	6062947	-56	001	9	2	1.49
DREX189	749038	6062946	-52	011	82	5	7.54
DREX222W1	749070	6062736	-59	356	472.5	11.5	4.26
and	1 10070	0002700	- 00	000	521	4	4.98
DREX221	749001	6062817	-59	003	280	7	4.73
and	7 43001	0002017	- 00	000	311.8	12.4	16.35
Including					312.5	3.5	43.90
DREX224	748976	6062794	-57	358	287	3.5	12.70
and	1-0010	0002137	- 51	550	292.5	1	7.95
DREX170	748897	6062965	-58	020	64	30	3.72
	140091	0002903	-36	020	74	12	6.31
including	749024	6062044	ΕΛ	000			
DREX176	748934	6062944	-54	800	75	13	4.81
including	 	 			80	6	7.62
and	740005	0000044		007	96	2	4.83
DREX177	748935	6062944	-62	007	98	2	3.51
and	740040	0000044	F0	000	125	5	4.88
DREX178	748940	6062944	-50	030	48	9	5.66
DREX179	748977	6062914	-60	800	108	11	6.54





Sampling and Assay Procedures



Sampling and Assay Procedures

A bulk sample from each drilled metre interval is collected from the RC drill rig. A representative sample (approx 3kg) is collected via a PVC spear or riffle splitter and submitted to ALS in Orange for analysis. Standard samples of known gold concentration are inserted every 25 samples and a blank sample is inserted at the start of each hole. On occasion a blank sample is also inserted following visually determined high-grade mineralisation.

In each case the entire sample is pulverised in a LM5 mill to 95% passing 75 microns. A sub-sample is selected for analysis. Gold is analysed by a 50 gram fire assay with AAS finish (0.01ppm detection). Samples returning gold values >1g/t are duplicated and assayed again by the same method for comparison and check of variability. Gold values >100g/t are then re read through the AAS using a 1 in 10 dilution of the solution. In conjunction with the gold analysis a suite of elements including Silver (0.2ppm), Arsenic (2ppm), Bismuth (2ppm), Copper (1ppm), Lead (2ppm), Molybdenum (1ppm), Sulphur (0.01%), Calcium (0.1%) and Zinc (2ppm) are also analysed by Aqua Regia digest and ICPAES finish.

Core samples from diamond drilling (HQ or NQ) are cut lengthwise and dissected, usually in 1m intervals or as geological parameters dictate. Standards and blanks are periodically included, using similar methodology to above, usually every 25 samples. The samples are submitted to ALS in Orange for analysis.

The analytical technique used on the diamond core samples is identical to that used on the RC samples.

Competent Persons: Information in this report relating to Mineral Resources has been completed by Mr Aaron Green of Runge Ltd., who is a member of the Australian Institute of Geoscientists. Mr Green has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a 'competent person' under the 2004 Edition of the Australasian Code for reporting of Exploration Results, Mineral Resources and Ore Reserves (the JORC Code). Mr Green consents to the inclusion of the data in the form and context in which it appears. The contents of this report that relate to geology and historical exploration are based on information compiled by Mr Peter van der Borgh, who is a Professional Geologist and Fellow of the Geological Society. He has sufficient experience relevant to the style of mineralisation and types of deposit under consideration and to the activity being undertaken to qualify as a 'Competent Person' as defined in the 2004 Edition of the JORC Code. Mr van der Borgh consents to the inclusion in this report of the matters compiled by him in the form and context in which they appear.